

**RECEIVED  
CENTRAL FAX CENTER****JAN 22 2007****AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application.

Claims 1-54 (Cancelled)

55. (New) A computing display subsystem of a portable computer, the computing display subsystem comprising:

a connector to allow the computing display subsystem of the portable computer to be connected and detached from a base station of the portable computer;

a communication adapter to communicate with the base station when the computing display subsystem is detached from the base station;

a non-volatile storage device of the computing display subsystem;

a processor of the computing display subsystem, wherein the processor is operable at operate at a higher frequency power mode when the computing display subsystem is connected to the base station, and at a lower frequency power mode when the computing display subsystem is detached from the base station;

a battery of the computing display subsystem; and

a display controller.

56. (New) The computing display subsystem of claim 55, wherein the non-volatile storage device comprises a flash memory.

57. (New) The computing display subsystem of claim 55, wherein the non-volatile storage device comprises a hard disk drive.

Atty Docket No. 42P10234  
Application No. 09/823,831

2

58. (New) The computing display subsystem of claim 55, wherein the processor of the computing display subsystem is operable to use Intel® SpeedStep™ Technology.

59. (New) The computing display subsystem of claim 55, further comprising an I/O controller of the display subsystem to receive data entered via a writeable display.

60. (New) A portable computer comprising:

a base station of the portable computer, wherein the base station comprises a processor and a communication adapter; and

a computing display subsystem of the portable computer, the computing display subsystem detachably connectable to the base station, the computing display subsystem including:

a second communication adapter to allow the computing display subsystem to communicate with the base station when the computing display subsystem is detached from the base station;

a storage device of the computing display subsystem;

a processor of the computing display subsystem;

a battery of the computing display subsystem; and

a display controller.

61. (New) The computer of claim 60, wherein the storage device of the computing display subsystem comprises a non-volatile storage device.

62. (New) The computer of claim 61, wherein the non-volatile storage device comprises a flash memory.

63. (New) The computer of claim 61, wherein the non-volatile storage device comprises a hard disk drive.
64. (New) The computer of claim 60, wherein the processor of the computing display subsystem is operable to operate at a higher frequency power mode and at a lower frequency power mode.
65. (New) The computer of claim 64, wherein the processor of the computing display subsystem is operable to operate using Intel® SpeedStep™ Technology.
66. (New) The computer of claim 60, wherein the computing display subsystem includes an I/O controller to receive data entered via a writeable liquid crystal display of the computing display subsystem.
67. (New) A method comprising:
- a first communication adapter of a base station of a portable computer wirelessly transmitting data; and
- a second communication adapter of a display subsystem of the portable computer receiving the wirelessly transmitted data from the base station, wherein the display subsystem is detached from the base station;
- processing data with a processor of the display subsystem;
- storing data in a storage device of the display subsystem; and
- powering the processor and the storage device with a battery of the display subsystem.
68. (New) The method of claim 67, wherein storing comprises storing the data in a non-volatile storage device of the display subsystem.

69. (New) The method of claim 67, further comprising operating the processor at a lower frequency power mode contingent on the display subsystem being detached from the base station.

70. (New) The method of claim 67, further comprising writing on a writeable display of the display subsystem.